| | Application No. | Applicant(s) |
|---|--|---|
| Notice of Allowability | | VOLIDNAKIS ET AL |
| | 09/781,182 Examiner | VOURNAKIS ET AL. Art Unit |
| | | |
| | Patrick T. Lewis | 1623 |
| The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313 | (OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject | oplication. If not included in will be mailed in due course. THIS |
| 1. \boxtimes This communication is responsive to <u>Telephone Interview</u> | held October 31, 2005. | |
| 2. The allowed claim(s) is/are <u>39-49 and 51-66</u> . | | |
| 3. ☐ Acknowledgment is made of a claim for foreign priority un a) ☐ All b) ☐ Some* c) ☐ None of the: | | |
| 1. Certified copies of the priority documents have | | |
| 2. Certified copies of the priority documents have | • | |
| 3. Copies of the certified copies of the priority documents have been received in this national stage application from the | | |
| International Bureau (PCT Rule 17.2(a)). * Certified copies not received: | | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | complying with the requirements |
| 4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give | | |
| 5. CORRECTED DRAWINGS (as "replacement sheets") mus | st be submitted. | |
| (a) I including changes required by the Notice of Draftspers | son's Patent Drawing Review (PTC | 9-948) attached |
| 1) 🗌 hereto or 2) 🗍 to Paper No./Mail Date | | |
| (b) ☐ including changes required by the attached Examiner' Paper No./Mail Date | | |
| Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t | | |
| 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| | | |
| Attachment(s) 1. ☐ Notice of References Cited (PTO-892) | 5 ☐ Notice of Informal | Patent Application (PTO-152) |
| 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) | 6. 🕅 Interview Summar | v (PTO-413). |
| 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 | Paper No./Mail Do | Iment/Comment |
| Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Riological Material | 8. 🗌 Examiner's Statem | nent of Reasons for Allowance |
| of Biological Material | 9. | |
| | | Patrick Lewis, PhD Examiner Art Unit 1623 |

Application/Control Number: 09/781,182

Art Unit: 1623

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Michael Ryan on October 31, 2005.

The application has been amended as follows:

In claim 39, line 2, the phrase "modulation of vascular structure and/or function" has been deleted and the phrase ---physiological response--- has been inserted therefor; in line 4, the term "porous" has been deleted; in line 7, the text --- wherein the non-barrier forming material is in the form of a solution, a suspension, an emulsion, a spray, or a foam,--- has been inserted; in line 8, the phrase "modulation of vascular structure and/or function" has been deleted and the phrase ---physiological response selected from the group consisting of stimulation of endothelin-1 release, vasoconstriction, and reduction in blood flow out of a breached vessel--- has been inserted therefor.

Claim 50 has been canceled.

In claim 51, line 1, the term "porous" has been deleted.

In claim 52, lines 1-2, the phrase "vascular structure is" has been deleted and the phrase ---the physiological response affects--- has been inserted therefor.

Page 3

Application/Control Number: 09/781,182

Art Unit: 1623

In claim 55, line 2, the phrase "modulation of vascular structure and/or function" has been deleted and the phrase ---physiological response--- has been inserted therefor.

In claim 59, line 4, the term "porous" has been deleted; in line 7, the text --- wherein the non-barrier forming material is in the form of a solution, a suspension, an emulsion, a spray, or a foam,--- has been inserted.

Art Unit: 1623

Contacts

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patrick T. Lewis whose telephone number is 571-272-0655. The examiner can normally be reached on Monday - Friday 10 am to 3 pm (Maxi Flex).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James O. Wilson can be reached on 571-272-0661. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Examiner

Art Unit 1623

ptl